



YB Series Legend Packet



Contents

Customer Request Form	YB2
Cap Types and Combinations	YB3
Legend Orientation	YB4
Font Styles.....	YB5
Helvetica Light Font Table	YB6
Helvetica Regular Font Table.....	YB7
Helvetica Bold Font Table.....	YB8
Helvetica Black Font Table	YB9
Maximum Printable Areas	YB10,11

The primary purpose of this Legend Packet is to let our customers know that NKK Switches provides full support regarding your legending requirements. The packet is designed to provide information to make your legending choices easy and concise, and to let you know that our availability can range from answering a few questions to guiding you through the entire process. Feel free to acquaint yourself with the following pages specific to your applications, then contact us and let us know how we may be of further assistance. We look forward to serving all your legending needs.

YB Series Legend Instructions

1 Customer Information		Today's Date
Company Name		Phone ()
Address		Fax ()
City	State	Zip Code
Contact Person		Email

Important! Please complete one Request Form for each legend requested.

2 Switch
Switch Part Number
Quantity Requested
Cap Part Number

Refer to Legend Packet page YB3 if you need assistance.

3 Surface
<input type="checkbox"/> Lens <input type="checkbox"/> Film Insert <input type="checkbox"/> Insert <input type="checkbox"/> Other (contact factory) _____

See Legend Packet page YB3 if you need more information on printable surfaces.

4 Font Style and Size
<input type="checkbox"/> Helvetica Light <input type="checkbox"/> Helvetica Regular <input type="checkbox"/> Helvetica Bold <input type="checkbox"/> Helvetica Black <input type="checkbox"/> Other Font Style (contact factory)
Font Size: _____ point

Refer to Legend Packet pages YB5 through YB9 to determine your font style and point size.


5 Characters		
1 line	2 lines	3 lines
<div style="border: 1px solid black; padding: 5px; display: inline-block;">START</div> Your Legend Text Here	<div style="border: 1px solid black; padding: 5px; display: inline-block;">ON OFF</div> Your Legend Text Here	<div style="border: 1px solid black; padding: 5px; display: inline-block;">AC FAN ONLY</div> Your Legend Text Here
Sample	Sample	Sample

Minimum distance between characters is critical to legibility and cannot be less than .015".
Refer to Legend Packet page YB10 - YB11 to determine your maximum printable area. Legend Packet pages YB5 - YB9 provide character widths and heights. Note: All legends will be centered unless otherwise indicated.


6	<i>Please make your selections below by checking one box in each row.</i>			
Legend Color	<input type="checkbox"/> Black	<input type="checkbox"/> White	<input type="checkbox"/> Other (contact factory)	
Printing Method	<input type="checkbox"/> Screen Print	<input type="checkbox"/> Pad Print	<input type="checkbox"/> Laser Etch	<input type="checkbox"/> Other (contact factory)
*Legend Orientation	<input type="checkbox"/> P/N Left	<input type="checkbox"/> P/N Top	<input type="checkbox"/> P/N Right	<input type="checkbox"/> P/N Bottom

**See Legend Packet page YB4 for legend orientation specifications.*


Solid Cap for Incandescent Lamp/Nonilluminated




Cap for Bright LED or Bicolor Full Face Illumination



Cap for Super Bright LED















Spot Illuminated Cap with Built-in LED






YB Series Legend Instructions

Orientation of Legends on Square, Round and Rectangular Switches

<p>1</p> <p>NKK Part No. Left Side</p>	 <p>Square Cap Codes S, K</p>	 <p>Round Cap Codes C, M</p>	 <p>Rectangular Cap Codes R, N</p>
<p>2</p> <p>NKK Part No. Top</p>	 <p>Square Cap Codes S, K</p>	 <p>Round Cap Codes C, M</p>	 <p>Rectangular Cap Codes R, N</p>
<p>3</p> <p>NKK Part No. Right Side</p>	 <p>Square Cap Codes S, K</p>	 <p>Round Cap Codes C, M</p>	 <p>Rectangular Cap Codes R, N</p>
<p>4</p> <p>NKK Part No. Bottom</p>	 <p>Square Cap Codes S, K</p>	 <p>Round Cap Codes C, M</p>	 <p>Rectangular Cap Codes R, N</p>

Orientation of Legends on Square, Round or Rectangular Spot Illuminated Switches

<p>2</p> <p>NKK Part No. Bottom</p>	 <p>Square Spot Illuminated Cap with LED Square Cap Codes S, K</p>	 <p>Round Spot illuminated Cap with LED Round Cap Codes C, M</p>	 <p>Rectangular Spot Illuminated Cap with LED Rectangular Cap Codes R, N</p>
--	---	---	---

YB Series Legend Instructions

The following tables display Helvetica font styles in graduated point sizes. These tables can give you an idea at a glance which size might be most compatible for your legend. For more detailed information on each font style and individual character widths, see pages YB6 through YB9.

HELVETICA LIGHT

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.063"	.075"	.084"	.092"	.100"	.111"	.120"	.141"	.161"	.189"	.211"	.231"

See page YB6 for the Helvetica Light Font Style table.

HELVETICA REGULAR

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.064"	.077"	.086"	.096"	.107"	.118"	.129"	.149"	.171"	.189"	.214"	.250"

See page YB7 for the Helvetica Regular Font Style table.

HELVETICA BOLD

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.086"	.096"	.107"	.117"	.128"	.149"	.170"	.191"	.203"	.234"

See page YB8 for the Helvetica Bold Font Style table.

HELVETICA BLACK

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.084"	.095"	.106"	.116"	.126"	.149"	.169"	.189"	.211"	.229"

See page YB9 for the Helvetica Black Font Style table.

Note: Minimum distance between characters on any font style is critical to legibility and cannot be less than .015". Remember to include this dimension *between* each character width when calculating overall legend length.

YB Series Legend Instructions

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.063"	.075"	.084"	.092"	.100"	.111"	.120"	.141"	.161"	.189"	.211"	.231"
Character	Character Widths in Inches											
A	.054	.062	.071	.081	.089	.098	.107	.124	.142	.160	.178	.195
B	.044	.053	.053	.068	.075	.083	.089	.104	.117	.134	.148	.163
C	.051	.062	.070	.079	.088	.088	.104	.122	.139	.156	.174	.191
D	.050	.058	.069	.074	.083	.091	.098	.116	.131	.148	.163	.181
E	.042	.049	.055	.063	.069	.076	.076	.096	.109	.123	.137	.150
F	.038	.045	.053	.059	.064	.072	.072	.091	.102	.117	.130	.142
G	.055	.063	.072	.072	.092	.099	.109	.126	.143	.162	.180	.197
H	.048	.056	.063	.072	.079	.087	.095	.110	.125	.142	.158	.174
I	.006	.008	.009	.010	.010	.011	.012	.014	.015	.018	.020	.022
J	.033	.040	.044	.050	.056	.061	.061	.077	.088	.100	.110	.122
K	.048	.056	.063	.071	.079	.088	.088	.110	.127	.145	.159	.173
L	.037	.045	.050	.057	.064	.070	.076	.089	.102	.115	.127	.140
M	.058	.065	.077	.086	.096	.104	.114	.132	.151	.171	.189	.206
N	.049	.056	.063	.073	.079	.087	.095	.110	.126	.142	.158	.174
O	.057	.065	.076	.084	.095	.103	.113	.131	.149	.169	.188	.205
P	.043	.050	.056	.064	.070	.076	.084	.097	.112	.126	.139	.152
Q	.057	.066	.076	.085	.094	.105	.113	.131	.149	.168	.186	.206
R	.047	.052	.061	.069	.075	.083	.090	.104	.118	.134	.151	.163
S	.045	.052	.059	.069	.074	.083	.087	.102	.117	.134	.147	.161
T	.045	.051	.059	.069	.073	.082	.088	.102	.116	.133	.146	.161
U	.048	.056	.063	.069	.078	.086	.094	.109	.125	.142	.155	.170
V	.049	.055	.064	.073	.079	.089	.096	.113	.129	.146	.162	.177
W	.073	.084	.096	.109	.121	.133	.145	.168	.192	.216	.241	.264
X	.048	.056	.064	.073	.082	.089	.097	.113	.129	.147	.162	.177
Y	.050	.058	.066	.074	.083	.090	.097	.115	.131	.147	.163	.181
Z	.047	.053	.062	.070	.077	.077	.092	.108	.122	.138	.153	.168
1	.022	.023	.028	.031	.036	.038	.042	.049	.055	.062	.069	.078
2	.041	.047	.053	.059	.065	.072	.078	.093	.105	.117	.131	.145
3	.041	.048	.054	.060	.067	.067	.080	.094	.107	.120	.133	.147
4	.041	.048	.054	.060	.068	.068	.082	.095	.108	.122	.134	.149
5	.040	.046	.053	.059	.067	.073	.079	.092	.105	.118	.131	.145
6	.040	.046	.054	.060	.066	.073	.081	.093	.104	.119	.132	.146
7	.038	.044	.051	.057	.063	.069	.075	.089	.101	.113	.125	.138
8	.040	.046	.052	.060	.060	.072	.078	.092	.106	.117	.131	.144
9	.040	.047	.054	.060	.066	.073	.080	.093	.106	.119	.133	.146
0	.040	.048	.054	.060	.067	.074	.080	.093	.107	.120	.133	.147
.	.005	.007	.008	.010	.010	.013	.013	.014	.017	.019	.019	.023
,	.007	.008	.009	.010	.010	.012	.014	.016	.017	.019	.021	.023
+	.042	.050	.056	.064	.069	.077	.085	.097	.110	.125	.139	.153
-	.021	.025	.029	.032	.036	.039	.043	.051	.056	.064	.071	.078
/	.023	.029	.033	.037	.042	.046	.050	.057	.065	.074	.081	.089

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

YB Series Legend Instructions

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.064"	.077"	.086"	.096"	.107"	.118"	.129"	.149"	.171"	.189"	.214"	.250"
Character	Character Widths in Inches											
A	.054	.063	.072	.081	.089	.097	.108	.126	.142	.159	.178	.196
B	.045	.054	.061	.069	.076	.084	.091	.105	.122	.139	.151	.167
C	.053	.062	.069	.079	.088	.096	.105	.122	.139	.159	.176	.194
D	.048	.056	.065	.073	.082	.090	.097	.112	.129	.145	.161	.178
E	.044	.052	.059	.066	.074	.081	.086	.103	.116	.132	.145	.160
F	.042	.056	.056	.063	.069	.076	.082	.095	.102	.123	.136	.149
G	.056	.064	.075	.085	.094	.103	.111	.130	.147	.167	.185	.204
H	.048	.056	.063	.071	.079	.087	.094	.109	.125	.140	.157	.173
I	.009	.010	.011	.010	.014	.013	.016	.019	.020	.024	.028	.029
J	.035	.041	.047	.051	.057	.064	.070	.081	.090	.102	.115	.127
K	.049	.057	.064	.073	.081	.088	.097	.111	.127	.144	.162	.178
L	.039	.043	.051	.057	.063	.069	.076	.088	.102	.113	.127	.139
M	.059	.067	.077	.086	.096	.107	.116	.134	.155	.173	.191	.211
N	.049	.058	.064	.072	.079	.087	.096	.111	.129	.141	.160	.175
O	.059	.069	.079	.089	.097	.109	.117	.138	.156	.177	.198	.215
P	.044	.052	.058	.066	.074	.082	.089	.103	.115	.133	.148	.161
Q	.058	.069	.079	.089	.099	.108	.117	.139	.157	.177	.198	.216
R	.050	.058	.067	.075	.082	.090	.098	.113	.130	.147	.164	.181
S	.048	.056	.064	.072	.080	.088	.096	.111	.126	.142	.161	.161
T	.049	.056	.063	.071	.080	.089	.097	.111	.127	.142	.161	.176
U	.048	.056	.063	.071	.078	.087	.094	.110	.126	.139	.158	.173
V	.052	.060	.071	.077	.086	.097	.103	.120	.138	.154	.173	.189
W	.076	.089	.101	.114	.128	.138	.153	.178	.204	.227	.251	.280
X	.053	.062	.071	.080	.088	.098	.106	.122	.140	.156	.174	.193
Y	.054	.064	.073	.083	.090	.100	.109	.126	.146	.162	.181	.200
Z	.047	.054	.063	.070	.078	.086	.094	.108	.124	.139	.155	.172
1	.021	.023	.029	.031	.035	.038	.041	.046	.056	.063	.068	.076
2	.041	.047	.055	.061	.066	.074	.078	.093	.107	.119	.134	.146
3	.041	.046	.054	.060	.067	.072	.080	.094	.107	.119	.133	.146
4	.042	.048	.056	.062	.069	.076	.082	.096	.111	.122	.138	.151
5	.041	.048	.054	.061	.067	.074	.080	.093	.107	.120	.134	.148
6	.040	.046	.054	.060	.066	.072	.080	.092	.107	.119	.131	.145
7	.041	.047	.053	.060	.069	.072	.080	.093	.105	.118	.133	.145
8	.040	.046	.053	.060	.066	.073	.079	.092	.107	.119	.133	.147
9	.040	.046	.053	.059	.065	.072	.080	.092	.105	.119	.132	.145
0	.040	.045	.052	.059	.065	.071	.077	.090	.102	.116	.129	.141
.	.009	.011	.012	.014	.015	.016	.017	.020	.023	.027	.029	.031
,	.008	.011	.012	.014	.017	.017	.018	.020	.024	.026	.030	.023
+	.041	.048	.054	.061	.068	.074	.081	.095	.110	.122	.134	.149
-	.020	.023	.026	.030	.034	.037	.041	.048	.054	.061	.066	.074
/	.025	.029	.033	.039	.041	.045	.050	.056	.065	.074	.081	.089

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

YB Series Legend Instructions

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.086"	.096"	.107"	.117"	.128"	.149"	.170"	.191"	.203"	.234"
Character	Character Widths in Inches											
A			.076	.085	.095	.105	.113	.132	.150	.170	.189	.208
B	n/a	n/a	.065	.073	.082	.089	.097	.114	.129	.146	.163	.179
C			.073	.081	.089	.098	.107	.125	.144	.162	.179	.196
D			.068	.076	.085	.093	.102	.119	.135	.151	.168	.186
E	n/a	n/a	.062	.069	.076	.084	.092	.107	.122	.137	.152	.168
F			.057	.065	.072	.079	.086	.101	.115	.129	.143	.157
G			.075	.084	.094	.103	.112	.130	.149	.168	.186	.205
H	n/a	n/a	.065	.075	.083	.090	.099	.116	.131	.148	.164	.181
I			.017	.019	.022	.023	.026	.030	.034	.038	.043	.047
J			.052	.059	.065	.071	.077	.091	.103	.116	.129	.142
K	n/a	n/a	.073	.082	.090	.099	.109	.126	.143	.162	.180	.198
L			.056	.063	.070	.076	.084	.098	.111	.126	.140	.154
M			.080	.089	.100	.109	.120	.140	.159	.179	.199	.219
N	n/a	n/a	.067	.075	.083	.091	.100	.116	.132	.148	.166	.182
O			.079	.088	.097	.107	.118	.137	.156	.176	.195	.215
P			.063	.070	.078	.086	.095	.109	.124	.140	.155	.171
Q	n/a	n/a	.077	.088	.098	.108	.118	.137	.157	.175	.195	.216
R			.067	.076	.083	.092	.100	.116	.133	.149	.167	.184
S			.068	.076	.084	.092	.102	.118	.135	.151	.168	.185
T	n/a	n/a	.065	.074	.082	.089	.098	.115	.131	.147	.163	.180
U			.065	.073	.082	.089	.098	.114	.129	.145	.162	.177
V			.069	.078	.087	.096	.104	.122	.140	.157	.175	.191
W	n/a	n/a	.102	.116	.129	.142	.155	.180	.206	.230	.256	.281
X			.070	.081	.089	.098	.106	.122	.140	.159	.176	.193
Y			.069	.078	.087	.096	.105	.122	.139	.156	.175	.191
Z	n/a	n/a	.062	.069	.077	.084	.092	.108	.122	.138	.153	.168
1			.035	.039	.043	.049	.053	.060	.069	.078	.086	.096
2			.054	.061	.067	.074	.082	.094	.107	.122	.135	.148
3	n/a	n/a	.055	.062	.069	.076	.082	.095	.109	.122	.136	.149
4			.056	.063	.069	.077	.083	.098	.112	.125	.140	.153
5			.056	.062	.069	.076	.083	.096	.109	.122	.136	.151
6	n/a	n/a	.055	.063	.069	.076	.082	.096	.109	.122	.138	.149
7			.056	.063	.070	.077	.084	.098	.112	.119	.140	.154
8			.056	.063	.069	.078	.085	.099	.112	.127	.140	.154
9	n/a	n/a	.055	.061	.069	.076	.083	.096	.109	.122	.135	.149
0			.055	.062	.069	.076	.081	.096	.109	.122	.137	.150
.			.017	.019	.021	.023	.026	.030	.033	.038	.043	.047
,	n/a	n/a	.017	.020	.022	.023	.026	.030	.034	.038	.043	.047
+			.054	.061	.068	.075	.081	.096	.108	.122	.135	.148
-			.031	.034	.038	.042	.046	.054	.061	.069	.078	.084
/	n/a	n/a	.030	.035	.038	.043	.046	.054	.062	.069	.076	.084

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

YB Series Legend Instructions


Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.084"	.095"	.106"	.116"	.126"	.149"	.169"	.189"	.211"	.229"
Character	Character Widths in Inches											
A			.085	.096	.106	.116	.127	.148	.170	.186	.211	.233
B	n/a	n/a	.075	.084	.093	.102	.111	.129	.147	.167	.184	.203
C			.082	.091	.102	.112	.122	.142	.162	.182	.203	.222
D			.078	.088	.097	.107	.115	.136	.155	.174	.193	.214
E	n/a	n/a	.068	.076	.084	.093	.101	.117	.134	.151	.168	.184
F			.063	.071	.079	.087	.094	.110	.125	.141	.157	.173
G			.082	.092	.102	.112	.122	.141	.162	.183	.203	.223
H	n/a	n/a	.078	.088	.097	.108	.117	.136	.155	.175	.194	.212
I			.027	.030	.034	.037	.040	.047	.053	.060	.067	.072
J			.065	.072	.081	.088	.096	.112	.127	.142	.159	.175
K	n/a	n/a	.084	.095	.104	.116	.125	.147	.167	.188	.210	.230
L			.063	.071	.079	.087	.094	.110	.125	.141	.157	.171
M			.092	.103	.115	.126	.139	.161	.184	.208	.230	.251
N	n/a	n/a	.078	.087	.097	.108	.116	.136	.155	.175	.194	.214
O			.085	.095	.106	.116	.126	.148	.168	.190	.211	.231
P			.074	.083	.092	.101	.109	.128	.146	.165	.183	.200
Q	n/a	n/a	.085	.095	.106	.116	.126	.147	.168	.189	.211	.230
R			.076	.087	.096	.105	.115	.135	.153	.172	.192	.212
S			.074	.083	.092	.101	.109	.129	.147	.165	.182	.201
T	n/a	n/a	.074	.084	.093	.102	.110	.129	.147	.166	.185	.203
U			.078	.088	.097	.108	.116	.135	.155	.175	.194	.211
V			.083	.093	.102	.112	.123	.142	.164	.184	.205	.226
W	n/a	n/a	.111	.124	.138	.152	.167	.194	.221	.250	.275	.303
X			.086	.097	.106	.117	.128	.149	.171	.190	.213	.234
Y			.086	.098	.109	.119	.129	.150	.172	.194	.215	.237
Z	n/a	n/a	.073	.082	.090	.100	.109	.127	.145	.163	.181	.199
1			.042	.047	.052	.058	.063	.073	.083	.094	.104	.113
2			.068	.076	.083	.091	.100	.117	.132	.149	.167	.183
3	n/a	n/a	.069	.076	.083	.092	.101	.117	.133	.150	.167	.184
4			.069	.076	.086	.094	.102	.120	.136	.154	.170	.188
5			.069	.076	.085	.094	.102	.120	.136	.153	.170	.186
6	n/a	n/a	.069	.077	.086	.095	.103	.121	.137	.154	.171	.189
7			.064	.072	.080	.088	.096	.111	.127	.142	.158	.175
8			.069	.077	.085	.094	.102	.120	.135	.154	.170	.186
9	n/a	n/a	.069	.077	.085	.096	.102	.121	.136	.155	.170	.189
0			.069	.076	.085	.095	.103	.119	.136	.154	.171	.189
.			.023	.027	.030	.033	.036	.042	.048	.053	.060	.066
,	n/a	n/a	.023	.027	.030	.033	.037	.042	.048	.054	.060	.066
+			.056	.063	.071	.077	.084	.098	.114	.127	.141	.155
-			.030	.034	.037	.042	.045	.053	.061	.068	.076	.083
/	n/a	n/a	.039	.043	.049	.052	.058	.068	.077	.086	.096	.104

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

Note: All gray areas represent printable surfaces.


Square Cap Lens

- 1 line maximum height .531"
- 2 lines maximum height .250"
- 3 lines maximum height .157"
- Maximum width .531"




Square Film Insert or Insert

- 1 line maximum height .420"
- 2 lines maximum height .165"
- 3 lines maximum height .110"
- Maximum width .420"



Round Cap Lens


Note maximum space available for 1, 2 or 3 line legends. These dimensions must be considered when choosing font style and size for round cap lens.*



Round Film Insert or Insert


Note maximum space available for 1, 2 or 3 line legends. These dimensions must be considered when choosing font style and size for round cap lens.*

*Factory assistance available




Rectangular Cap Lens

- 1 line maximum height .531"
- 2 lines maximum height .250"
- 3 lines maximum height .157"
- Maximum width .767"



Rectangular Film Insert or Insert


- 1 line maximum height .420"
- 2 lines maximum height .195"
- 3 lines maximum height .120"
- Maximum width .657"



Note: All gray areas represent printable surfaces.


**Square
Spot Illuminated Cap Lens**

1 line maximum height .354"
2 lines maximum height .162"
Maximum width .531"



**Round
Spot Illuminated Cap Lens**

1 line maximum height .354"
2 lines maximum height .162"
Maximum width .531"



**Rectangular
Spot Illuminated Cap Lens**

1 line maximum height .354"
2 lines maximum height .162"
Maximum width .767"

