


# JB Series Legend Packet

---



## Contents

Customer Request Form .....	JB2
Cap Types and Combinations .....	JB3
Legend Orientation .....	JB4
Font Styles.....	JB5
Helvetica Light Font Table .....	JB6
Helvetica Regular Font Table.....	JB7
Helvetica Bold Font Table.....	JB8
Helvetica Black Font Table .....	JB9
Maximum Printable Areas .....	JB10

The primary purpose of this Legend Packet is to let our customers know that NKK Switches provides full support regarding your legending requirements. The packet is designed to provide information to make your legending choices easy and concise, and to let you know that our availability can range from answering a few questions to guiding you through the entire process. Feel free to acquaint yourself with the following pages specific to your applications, then contact us and let us know how we may be of further assistance. We look forward to serving all your legending needs.

**JB Series Legend Instructions**

<b>1 Customer Information</b>		Today's Date
Company Name		Phone (    )
Address		Fax (    )
City	State	Zip Code
Contact Person		Email

*Important! Please complete one Request Form for each legend requested.*

<b>2 Switch</b>	Switch Part Number	Quantity Requested
Cap Part Number		

*Refer to Legend Packet page JB3 if you need assistance.*

<b>3 Surface</b>	<input type="checkbox"/> Lens	<input type="checkbox"/> Film Insert	<input type="checkbox"/> Other (contact factory) _____
------------------	-------------------------------	--------------------------------------	--

*See Legend Packet page JB3 if you need more information on printable surfaces.*

<b>4 Font Style and Size</b>	<input type="checkbox"/> Helvetica Light	<input type="checkbox"/> Helvetica Regular	<input type="checkbox"/> Helvetica Bold	<input type="checkbox"/> Helvetica Black	<input type="checkbox"/> Other Font Style (contact factory)
------------------------------	--	--	---	--	---

Font Size: \_\_\_\_\_ point

*Refer to Legend Packet pages JB5 through JB9 to determine your font style and point size.*

<b>5 Characters</b>	1 line	2 lines	3 lines Not Recommended
	<input type="checkbox"/> Your Legend Text Here	<input type="checkbox"/> Your Legend Text Here	<input type="checkbox"/> Your Legend Text Here
	Sample	Sample	Sample

**Minimum distance between characters is critical to legibility and cannot be less than .015".**

*Refer to Legend Packet page JB10 to determine your maximum printable area. Legend Packet pages JB5 through JB9 provide character widths and heights. Note: All legends will be centered unless otherwise indicated.*

<b>6</b>	<i>Please make your selections below by checking one box in each row.</i>		
<b>Legend Color</b>	<input type="checkbox"/> Black	<input type="checkbox"/> White	<input type="checkbox"/> Other (contact factory)
<b>Printing Method</b>	<input type="checkbox"/> Screen Print	<input type="checkbox"/> Pad Print	<input type="checkbox"/> *Laser Etch <input type="checkbox"/> Other (contact factory)
<b>**Legend Orientation</b>	<input type="checkbox"/> Term. nos. 3 and 1 top	<input type="checkbox"/> Term. nos. 3 and 1 right side	
	<input type="checkbox"/> Term. nos. 3 and 1 bottom	<input type="checkbox"/> Term. nos. 3 and 1 left side	

\*Laser Etch on clear lens only


\*\*See Legend Packet page JB4 for legend orientation specifications.

JB Series Legend Instructions

Caps for Nonilluminated

**Sculptured Cap**

AT4058




Cap

Legend on Cap

**Flat Cap**

AT4059



Cap


Legend on Cap

**Framed Cap with Button**




Button

AT4077 Button and  
AT4078 Frame




Frame



Legend on Button

**Flat Cap for Right Angle PC**

AT4139




Cap

Legend on Cap

**Flat Cap for Straight PC**  
For use with AT547 Mounter

AT4140




Cap

Legend on Cap

Caps for Illuminated

**Flat Cap**




Lens



Film Insert




Diffuser  
Frame




Legend on Lens or Film Insert

**Framed Cap with Button**




Button

AT4076 Button and  
AT4078 Frame



Frame



Legend on Button

## Orientation of Legends in Relation to Terminals

	<b>Sculptured Cap</b> <b>AT4058 Nonilluminated</b>	<b>Flat Cap</b> <b>AT4059 Nonilluminated</b> <b>AT4140 Nonilluminated</b> <b>AT4060 Illuminated</b> (+) and (-) terminals on illuminated only	<b>Button with Frame</b> <b>AT4077 with AT4078</b> <b>Nonilluminated</b> <b>AT4076 with AT4078</b> <b>Illuminated</b> (+) and (-) terminals on illuminated only	<b>Flat Cap for Right Angle</b> <b>AT4139 Nonilluminated</b>
<b>1</b> Terminal Numbers 3 and 1 Top				
<b>2</b> Terminal Numbers 3 and 1 Right Side				
<b>3</b> Terminal Numbers 3 and 1 Bottom				
<b>4</b> Terminal Numbers 3 and 1 Left Side				

## JB Series Legend Instructions

The following tables display Helvetica font styles in graduated point sizes. These tables can give you an idea at a glance which size might be most compatible for your legend. For more detailed information on each font style and individual character widths, see pages JB6 through JB9.

### HELVETICA LIGHT

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.063"	.075"	.084"	.092"	.100"	.111"	.120"	.141"	.161"	.189"	.211"	.231"

See page JB6 for the Helvetica Light Font Style table.

### HELVETICA REGULAR

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.064"	.077"	.086"	.096"	.107"	.118"	.129"	.149"	.171"	.189"	.214"	.250"

See page JB7 for the Helvetica Regular Font Style table.

### HELVETICA BOLD

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.086"	.096"	.107"	.117"	.128"	.149"	.170"	.191"	.203"	.234"

See page JB8 for the Helvetica Bold Font Style table.

### HELVETICA BLACK

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.084"	.095"	.106"	.116"	.126"	.149"	.169"	.189"	.211"	.229"

See page JB9 for the Helvetica Black Font Style table.

**Note:** Minimum distance between characters on any font style is critical to legibility and cannot be less than .015". Remember to include this dimension *between* each character width when calculating overall legend length.

## JB Series Legend Instructions

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.063"	.075"	.084"	.092"	.100"	.111"	.120"	.141"	.161"	.189"	.211"	.231"
Character	Character Widths in Inches											
A	.054	.062	.071	.081	.089	.098	.107	.124	.142	.160	.178	.195
B	.044	.053	.053	.068	.075	.083	.089	.104	.117	.134	.148	.163
C	.051	.062	.070	.079	.088	.088	.104	.122	.139	.156	.174	.191
D	.050	.058	.069	.074	.083	.091	.098	.116	.131	.148	.163	.181
E	.042	.049	.055	.063	.069	.076	.076	.096	.109	.123	.137	.150
F	.038	.045	.053	.059	.064	.072	.072	.091	.102	.117	.130	.142
G	.055	.063	.072	.072	.092	.099	.109	.126	.143	.162	.180	.197
H	.048	.056	.063	.072	.079	.087	.095	.110	.125	.142	.158	.174
I	.006	.008	.009	.010	.010	.011	.012	.014	.015	.018	.020	.022
J	.033	.040	.044	.050	.056	.061	.061	.077	.088	.100	.110	.122
K	.048	.056	.063	.071	.079	.088	.088	.110	.127	.145	.159	.173
L	.037	.045	.050	.057	.064	.070	.076	.089	.102	.115	.127	.140
M	.058	.065	.077	.086	.096	.104	.114	.132	.151	.171	.189	.206
N	.049	.056	.063	.073	.079	.087	.095	.110	.126	.142	.158	.174
O	.057	.065	.076	.084	.095	.103	.113	.131	.149	.169	.188	.205
P	.043	.050	.056	.064	.070	.076	.084	.097	.112	.126	.139	.152
Q	.057	.066	.076	.085	.094	.105	.113	.131	.149	.168	.186	.206
R	.047	.052	.061	.069	.075	.083	.090	.104	.118	.134	.151	.163
S	.045	.052	.059	.069	.074	.083	.087	.102	.117	.134	.147	.161
T	.045	.051	.059	.069	.073	.082	.088	.102	.116	.133	.146	.161
U	.048	.056	.063	.069	.078	.086	.094	.109	.125	.142	.155	.170
V	.049	.055	.064	.073	.079	.089	.096	.113	.129	.146	.162	.177
W	.073	.084	.096	.109	.121	.133	.145	.168	.192	.216	.241	.264
X	.048	.056	.064	.073	.082	.089	.097	.113	.129	.147	.162	.177
Y	.050	.058	.066	.074	.083	.090	.097	.115	.131	.147	.163	.181
Z	.047	.053	.062	.070	.077	.077	.092	.108	.122	.138	.153	.168
1	.022	.023	.028	.031	.036	.038	.042	.049	.055	.062	.069	.078
2	.041	.047	.053	.059	.065	.072	.078	.093	.105	.117	.131	.145
3	.041	.048	.054	.060	.067	.067	.080	.094	.107	.120	.133	.147
4	.041	.048	.054	.060	.068	.068	.082	.095	.108	.122	.134	.149
5	.040	.046	.053	.059	.067	.073	.079	.092	.105	.118	.131	.145
6	.040	.046	.054	.060	.066	.073	.081	.093	.104	.119	.132	.146
7	.038	.044	.051	.057	.063	.069	.075	.089	.101	.113	.125	.138
8	.040	.046	.052	.060	.060	.072	.078	.092	.106	.117	.131	.144
9	.040	.047	.054	.060	.066	.073	.080	.093	.106	.119	.133	.146
0	.040	.048	.054	.060	.067	.074	.080	.093	.107	.120	.133	.147
.	.005	.007	.008	.010	.010	.013	.013	.014	.017	.019	.019	.023
,	.007	.008	.009	.010	.010	.012	.014	.016	.017	.019	.021	.023
+	.042	.050	.056	.064	.069	.077	.085	.097	.110	.125	.139	.153
-	.021	.025	.029	.032	.036	.039	.043	.051	.056	.064	.071	.078
/	.023	.029	.033	.037	.042	.046	.050	.057	.065	.074	.081	.089

**Note: Minimum distance between characters is critical to legibility and cannot be less than .015".**

## JB Series Legend Instructions

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.064"	.077"	.086"	.096"	.107"	.118"	.129"	.149"	.171"	.189"	.214"	.250"
Character	Character Widths in Inches											
A	.054	.063	.072	.081	.089	.097	.108	.126	.142	.159	.178	.196
B	.045	.054	.061	.069	.076	.084	.091	.105	.122	.139	.151	.167
C	.053	.062	.069	.079	.088	.096	.105	.122	.139	.159	.176	.194
D	.048	.056	.065	.073	.082	.090	.097	.112	.129	.145	.161	.178
E	.044	.052	.059	.066	.074	.081	.086	.103	.116	.132	.145	.160
F	.042	.056	.056	.063	.069	.076	.082	.095	.102	.123	.136	.149
G	.056	.064	.075	.085	.094	.103	.111	.130	.147	.167	.185	.204
H	.048	.056	.063	.071	.079	.087	.094	.109	.125	.140	.157	.173
I	.009	.010	.011	.010	.014	.013	.016	.019	.020	.024	.028	.029
J	.035	.041	.047	.051	.057	.064	.070	.081	.090	.102	.115	.127
K	.049	.057	.064	.073	.081	.088	.097	.111	.127	.144	.162	.178
L	.039	.043	.051	.057	.063	.069	.076	.088	.102	.113	.127	.139
M	.059	.067	.077	.086	.096	.107	.116	.134	.155	.173	.191	.211
N	.049	.058	.064	.072	.079	.087	.096	.111	.129	.141	.160	.175
O	.059	.069	.079	.089	.097	.109	.117	.138	.156	.177	.198	.215
P	.044	.052	.058	.066	.074	.082	.089	.103	.115	.133	.148	.161
Q	.058	.069	.079	.089	.099	.108	.117	.139	.157	.177	.198	.216
R	.050	.058	.067	.075	.082	.090	.098	.113	.130	.147	.164	.181
S	.048	.056	.064	.072	.080	.088	.096	.111	.126	.142	.161	.161
T	.049	.056	.063	.071	.080	.089	.097	.111	.127	.142	.161	.176
U	.048	.056	.063	.071	.078	.087	.094	.110	.126	.139	.158	.173
V	.052	.060	.071	.077	.086	.097	.103	.120	.138	.154	.173	.189
W	.076	.089	.101	.114	.128	.138	.153	.178	.204	.227	.251	.280
X	.053	.062	.071	.080	.088	.098	.106	.122	.140	.156	.174	.193
Y	.054	.064	.073	.083	.090	.100	.109	.126	.146	.162	.181	.200
Z	.047	.054	.063	.070	.078	.086	.094	.108	.124	.139	.155	.172
1	.021	.023	.029	.031	.035	.038	.041	.046	.056	.063	.068	.076
2	.041	.047	.055	.061	.066	.074	.078	.093	.107	.119	.134	.146
3	.041	.046	.054	.060	.067	.072	.080	.094	.107	.119	.133	.146
4	.042	.048	.056	.062	.069	.076	.082	.096	.111	.122	.138	.151
5	.041	.048	.054	.061	.067	.074	.080	.093	.107	.120	.134	.148
6	.040	.046	.054	.060	.066	.072	.080	.092	.107	.119	.131	.145
7	.041	.047	.053	.060	.069	.072	.080	.093	.105	.118	.133	.145
8	.040	.046	.053	.060	.066	.073	.079	.092	.107	.119	.133	.147
9	.040	.046	.053	.059	.065	.072	.080	.092	.105	.119	.132	.145
0	.040	.045	.052	.059	.065	.071	.077	.090	.102	.116	.129	.141
.	.009	.011	.012	.014	.015	.016	.017	.020	.023	.027	.029	.031
,	.008	.011	.012	.014	.017	.017	.018	.020	.024	.026	.030	.023
+	.041	.048	.054	.061	.068	.074	.081	.095	.110	.122	.134	.149
-	.020	.023	.026	.030	.034	.037	.041	.048	.054	.061	.066	.074
/	.025	.029	.033	.039	.041	.045	.050	.056	.065	.074	.081	.089

**Note: Minimum distance between characters is critical to legibility and cannot be less than .015".**

## JB Series Legend Instructions

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.086"	.096"	.107"	.117"	.128"	.149"	.170"	.191"	.203"	.234"
Character	Character Widths in Inches											
A			.076	.085	.095	.105	.113	.132	.150	.170	.189	.208
B	n/a	n/a	.065	.073	.082	.089	.097	.114	.129	.146	.163	.179
C			.073	.081	.089	.098	.107	.125	.144	.162	.179	.196
D			.068	.076	.085	.093	.102	.119	.135	.151	.168	.186
E	n/a	n/a	.062	.069	.076	.084	.092	.107	.122	.137	.152	.168
F			.057	.065	.072	.079	.086	.101	.115	.129	.143	.157
G			.075	.084	.094	.103	.112	.130	.149	.168	.186	.205
H	n/a	n/a	.065	.075	.083	.090	.099	.116	.131	.148	.164	.181
I			.017	.019	.022	.023	.026	.030	.034	.038	.043	.047
J			.052	.059	.065	.071	.077	.091	.103	.116	.129	.142
K	n/a	n/a	.073	.082	.090	.099	.109	.126	.143	.162	.180	.198
L			.056	.063	.070	.076	.084	.098	.111	.126	.140	.154
M			.080	.089	.100	.109	.120	.140	.159	.179	.199	.219
N	n/a	n/a	.067	.075	.083	.091	.100	.116	.132	.148	.166	.182
O			.079	.088	.097	.107	.118	.137	.156	.176	.195	.215
P			.063	.070	.078	.086	.095	.109	.124	.140	.155	.171
Q	n/a	n/a	.077	.088	.098	.108	.118	.137	.157	.175	.195	.216
R			.067	.076	.083	.092	.100	.116	.133	.149	.167	.184
S			.068	.076	.084	.092	.102	.118	.135	.151	.168	.185
T	n/a	n/a	.065	.074	.082	.089	.098	.115	.131	.147	.163	.180
U			.065	.073	.082	.089	.098	.114	.129	.145	.162	.177
V			.069	.078	.087	.096	.104	.122	.140	.157	.175	.191
W	n/a	n/a	.102	.116	.129	.142	.155	.180	.206	.230	.256	.281
X			.070	.081	.089	.098	.106	.122	.140	.159	.176	.193
Y			.069	.078	.087	.096	.105	.122	.139	.156	.175	.191
Z	n/a	n/a	.062	.069	.077	.084	.092	.108	.122	.138	.153	.168
1			.035	.039	.043	.049	.053	.060	.069	.078	.086	.096
2			.054	.061	.067	.074	.082	.094	.107	.122	.135	.148
3	n/a	n/a	.055	.062	.069	.076	.082	.095	.109	.122	.136	.149
4			.056	.063	.069	.077	.083	.098	.112	.125	.140	.153
5			.056	.062	.069	.076	.083	.096	.109	.122	.136	.151
6	n/a	n/a	.055	.063	.069	.076	.082	.096	.109	.122	.138	.149
7			.056	.063	.070	.077	.084	.098	.112	.119	.140	.154
8			.056	.063	.069	.078	.085	.099	.112	.127	.140	.154
9	n/a	n/a	.055	.061	.069	.076	.083	.096	.109	.122	.135	.149
0			.055	.062	.069	.076	.081	.096	.109	.122	.137	.150
.			.017	.019	.021	.023	.026	.030	.033	.038	.043	.047
,	n/a	n/a	.017	.020	.022	.023	.026	.030	.034	.038	.043	.047
+			.054	.061	.068	.075	.081	.096	.108	.122	.135	.148
-			.031	.034	.038	.042	.046	.054	.061	.069	.078	.084
/	n/a	n/a	.030	.035	.038	.043	.046	.054	.062	.069	.076	.084

**Note: Minimum distance between characters is critical to legibility and cannot be less than .015".**



## JB Series Legend Instructions



Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.084"	.095"	.106"	.116"	.126"	.149"	.169"	.189"	.211"	.229"
Character	Character Widths in Inches											
A			.085	.096	.106	.116	.127	.148	.170	.186	.211	.233
B	n/a	n/a	.075	.084	.093	.102	.111	.129	.147	.167	.184	.203
C			.082	.091	.102	.112	.122	.142	.162	.182	.203	.222
D			.078	.088	.097	.107	.115	.136	.155	.174	.193	.214
E	n/a	n/a	.068	.076	.084	.093	.101	.117	.134	.151	.168	.184
F			.063	.071	.079	.087	.094	.110	.125	.141	.157	.173
G			.082	.092	.102	.112	.122	.141	.162	.183	.203	.223
H	n/a	n/a	.078	.088	.097	.108	.117	.136	.155	.175	.194	.212
I			.027	.030	.034	.037	.040	.047	.053	.060	.067	.072
J			.065	.072	.081	.088	.096	.112	.127	.142	.159	.175
K	n/a	n/a	.084	.095	.104	.116	.125	.147	.167	.188	.210	.230
L			.063	.071	.079	.087	.094	.110	.125	.141	.157	.171
M			.092	.103	.115	.126	.139	.161	.184	.208	.230	.251
N	n/a	n/a	.078	.087	.097	.108	.116	.136	.155	.175	.194	.214
O			.085	.095	.106	.116	.126	.148	.168	.190	.211	.231
P			.074	.083	.092	.101	.109	.128	.146	.165	.183	.200
Q	n/a	n/a	.085	.095	.106	.116	.126	.147	.168	.189	.211	.230
R			.076	.087	.096	.105	.115	.135	.153	.172	.192	.212
S			.074	.083	.092	.101	.109	.129	.147	.165	.182	.201
T	n/a	n/a	.074	.084	.093	.102	.110	.129	.147	.166	.185	.203
U			.078	.088	.097	.108	.116	.135	.155	.175	.194	.211
V			.083	.093	.102	.112	.123	.142	.164	.184	.205	.226
W	n/a	n/a	.111	.124	.138	.152	.167	.194	.221	.250	.275	.303
X			.086	.097	.106	.117	.128	.149	.171	.190	.213	.234
Y			.086	.098	.109	.119	.129	.150	.172	.194	.215	.237
Z	n/a	n/a	.073	.082	.090	.100	.109	.127	.145	.163	.181	.199
1			.042	.047	.052	.058	.063	.073	.083	.094	.104	.113
2			.068	.076	.083	.091	.100	.117	.132	.149	.167	.183
3	n/a	n/a	.069	.076	.083	.092	.101	.117	.133	.150	.167	.184
4			.069	.076	.086	.094	.102	.120	.136	.154	.170	.188
5			.069	.076	.085	.094	.102	.120	.136	.153	.170	.186
6	n/a	n/a	.069	.077	.086	.095	.103	.121	.137	.154	.171	.189
7			.064	.072	.080	.088	.096	.111	.127	.142	.158	.175
8			.069	.077	.085	.094	.102	.120	.135	.154	.170	.186
9	n/a	n/a	.069	.077	.085	.096	.102	.121	.136	.155	.170	.189
0			.069	.076	.085	.095	.103	.119	.136	.154	.171	.189
.			.023	.027	.030	.033	.036	.042	.048	.053	.060	.066
,	n/a	n/a	.023	.027	.030	.033	.037	.042	.048	.054	.060	.066
+			.056	.063	.071	.077	.084	.098	.114	.127	.141	.155
-			.030	.034	.037	.042	.045	.053	.061	.068	.076	.083
/	n/a	n/a	.039	.043	.049	.052	.058	.068	.077	.086	.096	.104

**Note: Minimum distance between characters is critical to legibility and cannot be less than .015".**

Note: All gray areas represent printable surfaces.



**AT 4058 Sculptured Cap,  
Nonilluminated**

1 line maximum height .373"  
2 lines maximum height .172"  
Maximum width .373"





**AT4059 and AT4140  
Flat Cap, Nonilluminated  
or AT4060 Flat Cap, Illuminated**

1 line maximum height .413"  
2 lines maximum height .192"  
Maximum width .413"



**AT4060 Flat Cap, Film Insert  
Illuminated**



1 line maximum height .330"  
2 lines maximum height .150"  
Maximum width .330"



**AT4076/AT4078 Framed Cap,  
Illuminated or  
AT4077/AT4078 Framed Cap,  
Nonilluminated**

Note maximum space available for 1 or 2 line legends. These dimensions must be considered when choosing a font style and size for printable area on cap.\*

\*Factory assistance available



**AT4139 Flat Cap, Nonilluminated**

1 line maximum height .334"  
2 lines maximum height .152"  
Maximum width .334"

